

STATE OF ALASKA

DEPT. OF HEALTH AND SOCIAL SERVICES
OFFICE OF THE COMMISSIONER

SARAH PALIN, GOVERNOR

P.O. BOX 110601
JUNEAU, ALASKA 99811-0601
PHONE: (907) 465-3030
FAX: (907) 465-3068

December 2, 2008

Certified, Return Receipt Requested

Shawn Morrow, CEO
Bartlett Regional Hospital
3260 Hospital Drive,
Juneau, Alaska 99801

Dear Mr. Morrow:

In accordance with A.S. 18.07.031-111 and 7 AAC 07.010-130, I have determined that Bartlett Regional Hospital's application to renovate the Medical/Surgical and Same Day Care units of the hospital in Juneau Alaska has met the applicable certificate of need standards for approval by the State of Alaska Department of Health and Social Services.


Bartlett Regional Hospital is authorized to spend \$8,000,000 for:

- Renovation of 5,782 square feet in the Medical/Surgical unit to build a maximum of 9 private rooms that are ADA compliant.
- Renovation of 6,891 square feet in the Same Day Care unit to increase day use beds from 13 to 18 and to allow for a new unit entry, waiting areas, staff sleep room, and education/meeting space.
- Hazardous materials abatement in both the Medical/Surgical unit and the Same Day Care unit.

The completion date is January 31, 2011.

A Certificate of Need for your facility is enclosed along with a copy of the review document. Under 7 AAC 07.08, if you are dissatisfied with this decision you are entitled to a hearing if the request for a hearing is received in writing by the department no later than 30 days from the date of this letter.

Sincerely,



William H. Hogan
Commissioner

Attachment: Certificate
CON Review